



國立交通大學

National Chiao Tung University

清華大學物理系 奈米物理特論 2011/04/07 上課內容 (I)

半導體奈米結構之成長與光電特性

交通大学電子物理系 周武清 教授

大綱:

Part I: 半導體奈米結構成長-----

分子束磊晶(MBE, molecular beam epitaxy)

半導體奈米結構形貌研究---AFM



Part II: 半導體奈米結構光電特性---Photoluminescence

Part III: 半磁性半導體奈米結構之自旋磁光特性







Hetero-structure epitaxy 異質結構磊晶



● Zn
○ Te
 $Eg=2.4\text{ V}$


Compressive strain 壓縮應變




● Zn
○ Se
 $Eg=2.8\text{ V}$

原子排列與堆疊 魔術師:操控晶格常數 能隙等


InGaN green SQW LEDs



The structure of a green SQW LED




Schematic drawing of the SQW LED




Self-assembled nanostructures, Self-organized quantum dots (QDs)

自聚性量子點




F-vdM

Frank-van der Merwe
二維長晶模式



Volmer-Weber (VW)
三維長晶模式



Stranski-Krastanow (SK)從二維到
三維長晶模式(**wetting layer, WL**)

$$u(H, n_1, n_2, \epsilon) = E_{\text{ml}}(n_1) + n_2 E_{\text{isl}} + (H - n_1 - n_2) E_{\text{rip}}$$



$$E_{\text{ml}}(n_1) = \int dn \left\{ G + \Delta [\Theta(1-n) + \Theta(n-1) e^{-(n-1)/a}] \right\}$$

$$G = C\epsilon^2 - \Phi_{AA}$$

$$E_{\text{isl}} = gC\epsilon^2 - \Phi_{AA} + E_0 [-(2/x^2) \ln e^{1/2} x + \alpha/x + \beta(n_2)/x^{3/2}]$$


$$E_{\text{rip}} = E_{\text{isl}} (x \rightarrow \infty) = gC\epsilon^2 - \Phi_{AA}$$

D.J. Eaglesham and M. Cerullo,
PRL 64, 1943 (1990)



Key: strained islands change shape during growth, phase diagram, surface energy controls the sequence of island shapes.

I Daruka et al., PRL 82, 2753 (1999)




$$u(H, n_1, n_2, \epsilon) = E_{\text{ml}}(n_1) + n_2 E_{\text{isl}} + (H - n_1 - n_2)E_{\text{rip}}$$

- I. Daruka and A.L. Barabasi, APL 72, 2102 (1998)



Energy Gap vs Lattice Constant

(材料) 菜色豐富千變萬化






國立交通大學

National Chiao Tung University

如何製作半導體奈米結構?

**EPI
Model 620
Molecular Beam Epitaxy System**



Rev Date: 11/96


超高真空操作程序與重要性、分子束源種類及調控磊晶速率



國立交通大學

National Chiao Tung University

Alternating supply MBE



substrate


buffer ZnSe

strain


ZnTe or CdSe
Wetting layer

ZnTe or CdSe
Quantum Dot

Atomic Layer Epitaxy
(ALE)



Atomic force microscopy, AFM



1982 IBM蘇黎世研究所的Gerd Binnig和Heinrich Rohrer及其同事研製第一臺達到原子分辨解析度的表面分析儀器，掃描穿隧顯微鏡(Scanning Tunneling Microscope, STM)。1986 G. Binnig和同事發明原子力顯微鏡(Atomic Force Microscopy, AFM)。(Note:scanning, computer control bit)
Scanning probe microscopy (SPM), SNOM

The Nobel Prize in Physics 1986

"for their design of the scanning tunneling microscope"

Gerd Binnig




Heinrich Rohrer





國立交通大學

National Chiao Tung University



碲化鋅量子點之表面高低(明暗)形貌直徑約10-30奈米



AFM



國立交通大學

National Chiao Tung University

半導體奈米結構之形狀



***In situ* scanning tunneling microscopy study of C-induced Ge quantum dot formation on Si(100)**



O. Leifeld et al., APL74, 994 (1999)



國立交通大學

National Chiao Tung University

Dislocation-Free Stranski-Krastanow Growth of Ge on Si(100)





D. J. Eaglesham and M. Cerullo

PRL64, 1943 (1990)



dome-shaped

半導體奈米結構之形狀

Metalorganic vapor-phase epitaxial growth of vertically well-aligned ZnO nanorods





W. I. Park, D. H. Kim, S.-W. Jung, and Gyu-Chul Yi^{a)}




APL80, 4232 (2002)


半導體奈米結構之形狀



Ref. D. Litvinov et al.
APL 81, 640 (2002)





5 nm






國立交通大學

National Chiao Tung University



Ref. S.Lee et al., Phys. Rev. Lett. 81, 3479 (1998)









國立交通大學

National Chiao Tung University

ZnO nano-tip





CdSe (3.0 MLs)/ZnSe/GaAs

Issue of size distribution

